



PRODUCT CATALOG

**Since 1953
A legacy of quality.**

843.335.5814

marmac.com

MacWrap Coupler

External couplers for joining precast concrete structures

External sealing band for precast concrete structures including RCP, manholes, and box culverts. Features rubberized mastic and compression bands for a permanent, infiltration-proof joint.



CSP Coupler

External couplings for joining corrugated metal pipe

Watertight or soil-tight external coupling for corrugated steel pipe from 6–144". Bonds to both rerolled and non-rerolled ends using rubberized mastic and high-tensile compression bands.



PolySeal Coupler

External couplers for joining of HDPE & HDPP pipe

Reinforced external joint coupler for corrugated HDPE and HDPP pipe, 4–60". Infiltration-proof and exfiltration-resistant; ideal for field repairs, cut & butt joints, and new installations.



Dissimilar Pipe Coupler

External couplers for joining pipes of different materials and/or diameter


Rubberized mastic band engineered to connect pipes of different materials and/or diameters. The go-to solution for cross-material joints in stormwater and sewer drainage systems.



CSP Flat Band Gasket

External gaskets for joining corrugated steel pipe

Internal gasket providing a soil-tight seal at corrugated steel pipe joints. A cost-effective alternative to external couplers for standard drainage applications requiring basic infiltration resistance.



Grout Diaper

Grout form for connector rings in pressurized pipe

Foam-based grout retention band that wraps pipe joints before grouting. Contains and directs grout precisely at the joint, reducing waste and ensuring a clean, complete annular fill.



CSP Seam Seal

Sealing cord for corrugated steel pipe fabrication


Flexible sealant cord applied to the longitudinal seams of corrugated steel pipe. Prevents infiltration at factory seams, extending the service life of CSP in drainage and culvert applications.



Butyl Wrap

Flexible butyl waterproofing membrane

Highly flexible, self-adhesive butyl membrane meeting ASTM C877 Type III. Used as an external waterproofing wrap for concrete structure joints, offering excellent elongation and adhesion.



Butyl Rope Sealant

Premium black butyl gasket for joints of concrete structures

Premium black butyl sealant rope conforming to ASTM C990. Applied at precast concrete joints as an internal gasket to resist infiltration in manholes, pipe, and other concrete structures.



SealWrap

External waterproofing wrap for concrete structures

High-performance waterproofing membrane designed for concrete structure joints and surfaces. Provides a durable, watertight barrier for manholes, junction boxes, and precast connections.



Lift Hole Patch

External seals for precast structure lift holes

Pre-formed butyl patch that seals lift holes left in precast concrete structures after installation. Provides a permanent, watertight plug to prevent infiltration through casting lift-point voids.



Geotextile Jacket

External filter fabric wrap for underground pipe joints

Pre-sized filter fabric sleeve that wraps around pipe joints and couplers. Prevents soil migration into drainage systems while allowing water flow; simply wrap and lock in place.



Geotextile Reroll

Filter fabric rolls for sub-grade erosion control

Bulk nonwoven geotextile filter fabric available in reroll format. Used for soil separation, filtration, and erosion control in drainage, roadway, and subsurface construction applications.



Marine Tape

Waterproof sealing for maritime & transportation industries


Heavy-duty butyl-based hatch sealant tape designed for dry cargo marine applications. Creates a watertight, flexible seal around hatch covers to protect cargo from moisture intrusion.



Road Tape

Reinforced membrane for street repair & traffic counters

Self-adhesive butyl seal tape for repairing cracks and joints in asphalt and road surfaces. Provides a flexible, weather-resistant bond that accommodates pavement movement without cracking.



RB Adhesive Primer

Rubber-based primer for increased mastic/butyl adhesion

Rubber-based adhesive primer that enhances bonding of MarMac mastic products to concrete and other surfaces. Applied before coupler installation in challenging or wet conditions for maximum adhesion.



Concrete Admixture AMX 5500

Antimicrobial concrete protectant

Microban®-powered liquid antimicrobial added directly to concrete mix. Inhibits bacterial growth and microbial-induced corrosion (MIC) for the lifetime of the structure, with no change to cure time or appearance.



Concrete Coating PSC 2306

Water & chemical-resistant polymer

Thick, polymeric surface coating that forms a chemical, water, and acid-resistant barrier on porous concrete. A safer, environmentally friendly alternative to coal tar epoxy, with superior long-term adhesion.



PSC 3705

Permanent anti-graffiti coating

Permanent, single-component silicone anti-graffiti coating for concrete, brick, metal, and wood. Dries to a clear matte finish; spray paint, markers, and stickers can be easily power-washed away without damaging the underlying coating.



PSC 6000

Ablative surface coating for graffiti prevention

Ablative, semi-clear polymer coating that acts as a sacrificial shield against graffiti on concrete, brick, and metal. When vandalized, the coating—along with the graffiti—is removed by pressure washing, leaving the original surface intact for reapplication.



TST 6100

Graffiti remover treatment for various substrates

Ready-to-use graffiti remover for concrete, brick, architectural stone, and metal. Contains no methylene chloride; applies via sprayer or pressure washer and pairs with PSC 6000 for a complete prevention and removal system.



PSC 4400

Waterproof coating for wood & concrete

Water-borne, low-VOC waterproofing coating for wood and cementitious materials. Blocks approximately 99% of water penetration and cross-links at ambient temperatures to form an exceptionally durable bond with the substrate.



PSC 9450

Corrosion resistant protective coating for metal

Blue-tinted, water-based polymer coating applied directly to metal surfaces including rebar, forms, and support structures. Provides corrosion inhibition and water resistance using core-shell technology for extended durability.



TST 2600

Water & oil stain resistance treatment for garage floors & stone countertops

Fluorochemical surface treatment that penetrates and cross-links with concrete, stone, and brick to resist water and oil-based stains. Ideal for garage floors, patios, and countertops; reapplied as surface wear occurs over time.

